HPC8+





GAS DISTRIBUTION LINE TOOLS

FOR CONSTRUCTION, MAINTENANCE & UTILITY SERVICES

The Line-Up

GUILLOTINE CUTTERS

Catalog	Item	Capa	acity	Le	ngth	Weig	jht
No.	Code	in-nom.	Actual Ø mm	in.	mm	lbs	kg
HPC4+	04605	1 1/2 - 4	50 - 125	18.6	472	11	4.99
HPC8+	04609	3 - 8	90 - 230	29.6	752	27.4	12.4
HPC12	04612	4 - 12	114 - 350	51	1295	100.0	45.5

- . Twist the handle to slice smoothly through PE pipe.
- Durable, non-stick coated blade makes many square cuts with no chips to clog valves or small openings.
- Blades are easy to sharpen or replace.

Add Static Grounding Device like PEGR7 to dissipate static electricity.

TRUE PEEL® PE PREP TOOLS

Catalog No.	Item Code	Description
PEP50CTS7	04634	1/2" CTS SDR7 .090"
PEP75IPS11	04635	3/2" IPS DR11 .095"
PEP1IPS7	04624	1" IPS DR7 .188"
PEP1CTS7	04627	1" CTS SDR7 .161"
PEP1CTS115	04636	1" CTS SDR11.5 .099"
PEP1IPS11	04637	1" IPS DR11 .120"
PEP125IPS10	04626	1 1/4" IPS DR10 .166"
PEP125IPS11	04638	1 1/4" IPS DR11 .151"
PEP125CTS11	04625	1 1/4" CTS SDR11 .121"
PEP2IPS11	04639	2" IPS DR11 .216"

• Removes .009" - .012" peel thickness.

METRIC

32mm • 40mm • 63mm

- Observation window indicates the completion of the peel.
- . Close fitting mandrel holds pipe secure and rounds pipe that may be oval

· Rotate blade 180 degrees for a second cutting edge and twice the blade life.



Multiple sizes available for ½" to 2" diameter pipe in CTS and IPS.

PEP50CTS7



PE PIPE PEELERS

Catalog Item No. Code in-nom. actual O.D. mm	1	
	Ibs 3.1 10.9	kg
PEPEEL6 04631 1 1/2 - 6* 48 - 168 PEPEEL12 04632 6-12 168 - 324		1.4 5.0

HPC12

in use

*O.D. must be 1.9" or more

. One tool peels a range of pipe.

• Takes 2 minutes to attach to pipe and peel 6" PE.

· Creates a uniformly peeled surface.

· Works well even on out-of-round pipe



PEPEEL12




VIDEO

PEPEEL6









EXCLUSIVE

PIPE REAMER

Catalog	Item	Pipe Ca	apacity	We	ight
No.	Code	in-nom.	Actual I.D. mm	lbs	kg
2 - 71	06060	1/8 - 2	3 - 50	6.7	3.0

- Self-feeding, spiral reamer starts easily into pipe.
- Two pawls for faster action and for work in tight places.

HINGED PIPE CUTTERS

- Pipe Cutter with hinge is a REED invention that needs only 4" (102 mm) of clearance around pipe.
- Efficient handle swing of only 90° to 110°.
- Opens with hinge to place 4-wheel cutter around the pipe.
- Can be used anywhere in the ditch, underwater, overhead, in racks of pipe!

S = steel/stainless steel
I = cast and ductile iron
X = sch. 80 steel
XX = sch. 100 steel

Catalog	Item	Pipe Capacity
No.	Code	in-nom.
H4S	03120	2 - 4
H4I	03122	2 - 4
H4X	03124	2 - 4
H6S	03130	4 - 6
H6I	03132	4 - 6
H6X	03134	4 - 6
H8S	03140	6 - 8
H8I	03142	6 - 8
H8X	03144	6 - 8
H8XX	03146	6 - 8
H12S	03150	8 - 12
H12I	03152	8 - 12
H12X	03154	8 - 12
H12XX	03156	8 - 12

QUICK RELEASE™ TUBING CUTTERS

Catalog	Item	0.D. C	apacity	Length		
No.	Code	Actual Inches	Actual Ø mm	in	mm	Wheel
TC1Q	03410	1/8 - 1 ⁵ /16	3 - 33	6	152	0
TC1.6Q	03416	1/4 - 1 5/8	6 - 42	6.5	165	0
TC2Q	03420	1/4 - 2 5/8	6 - 63	8	203	0
TC3Q	03430	3/8 - 3 1/2	10 - 90	11	279	30 - 40
TC4Q	03440	1 7/8 - 4 1/2	48 - 114	12	305	30 - 40
TC6Q	03460	4 - 6 5/8	102 - 168	15	381	30 - 40

- . Best tracking, easiest cutting tubing cutters available.
- Cutter Wheels "0" and "30-40" cut copper, aluminum, brass and steel tubing. Ask about REED Cutter Wheels for other pipe applications.
- Feature a built-in reamer in TC1Q, TC1.6Q and TC2Q.

PLAS IN-LINE ROTARY PIPE CUTTERS

Catalog	Item	Pipe C	apacity		We	ight
No.	Code	in-nom.	actual O.D.mm	Application*	lbs	kg
PLAS1PE	04474	6 - 12	160 - 335	PE	52	23.6
PLAS2PE	04477	14 - 18	355 - 500	PE	57	25.9
PLAS3PE	04483	14 - 24	355 - 630	PE	62	28.2
PLAS4PE	04487	14 - 28	355 - 800	PE	68	30.9

- Cuts out-of-round pipe because of spring loaded nuts. No chips to clog valves and apertures.
- Inexpensive tool to make a cut for a tie-in or pipe break and then get the line back in use. Reduce overall labor costs!

PLAS HAND-OVER-HAND ROTARY PIPE CUTTERS

Catalog	Item	Pipe C	apacity		Ibs 21	ight
No.	Code	in-nom.	actual O.D.mm	Application*	lbs	kg
PLASOHPE	04464	4 - 8	106 - 240	PE, HDPE	21	9.6
PLASOH12PF	04468	4 - 12	106 - 335	PE. HDPE	52	23.6

- Attached handles permit fast hand-turning about half the cutting time of a regular PLAS cutter.
- . Simple to transport and fast to use on PE and PVC.

2" PIPE CUTTERS

Don't forget replacement



Catalog	Item	Pipe Cap.	Application
No.	Code	in-nom.	Аррисации
2-1	03320	1/8 - 2	Steel/Stainless Steel
2-4	03335	1/2 - 2	Steel/Stainless Steel
2-4WG	03338	1/2 - 2	Steel/Stainless Steel

• Strong, malleable iron frames and wide rollers ensure square cuts.

Exclusive spring-loaded guides

• Sharp cutter wheels and short handles allow for work in small spaces.





QUICK RELEASE™ TUBING CUTTERS FOR PE

EXCLUSIVE

TC4Q6QP

		0.D. C	apacity	
Catalog No.	Item Code	Actual Inches	Actual Ø mm	Wheel
TC2QP	04120	1/4 - 2 5/8	6 - 63	OP2
TC3QP	04130	3/8 - 3 1/2	10 - 90	30 - 40P
TC4Q6QP	04148	1 7/8 - 4 1/2	48 - 114	6QP
TC5QP	04150	2 1/2 - 5	63 - 125	30 - 40P
TC6Q80P	04123	4 - 6 5/8	102 - 168	80P
TC8QP*	04170	6 1/4 - 10	159 - 254	80P
TC8QPL*	04171	6 1/4 - 10	159 - 254	80P
*EXCLUSIVE SIZE	S			

- REED cutters are the most recommended by plastic pipe companies and most imitated by other manufacturers.
- Cut clean with very little burr.
- · Wide variety of wheels available for all types of plastic pipe.



RATCHET SHEARS

Catalog	Item	Capacity		Length		Weight	
No.	Code	actual O.D. in	actual O.D. mm	in	mm	lbs	kg
RS7290	04182	2.4	63	13.25	337	2.4	1.1
RSP1	04276	1.66	42	8.75	222	0.9	0.4
RSP2	04277	2.5	63	11.5	292	1.56	0.7
RS2	04177	2.4	63	17	440	2.8	1.3

• Ratchet Shears are ideal for cutting PE, PEX, PP and ABS pipe and tubing.



TRIPOD PIPE VISES

Catalog	Item	Vise	Pipe Capacity		Vice Pipe Capacity Folded Length		Weig	jht
No.	Code	Style	in-nom.	Actual Ø mm	in.	mm	lbs	kg
R470+	09402	Chain	1/8 - 6	10 - 178	44	1118	42.0	19.1
R450+	02306	Chain	1/8 - 6	10 - 178	44	1118	36.3	16.5
R450P	04457	Chain	1/8 - 6	10 - 178	44	1118	36.3	16.5
R450PAL	04456	Chain	1/8 - 6	10 - 178	44	1118	27.4	12.5
			Plasti	c Pipe				
			1/8 - 2	10 - 178				
			Steel	Conduit				
R40+	02311	Yoke	1/8 - 2 1/2	10 - 75	51	1295	391	17.8

- . Sturdiest design on the market with overlapping hinges
- · Double-sided jaws give user an extra set of jaws FREE.
- Tripods are lightweight and feature a padded handle for carrying ease, making them the most portable and best value Tripods available.

Traditional Chain Vises also available



DOUBLE SQUEEZE™ PE SQUEEZE TOOL

Catalog	Item Capacity		pacity	D: (ODD	Length		Weight	
No.	Code	in-nom.	Actual 0.D.	Pipe/SDR Stops	in.	mm	lbs	kg
PES2IPSDB	04332	1/2 - 2	0.84 - 2.38	98079	12	305	11.2	5.1
PES2CTSDB	04333	1/2 - 2	0.63 - 2.13	98078	12	305	11.2	5.1
PES4DB	04336	2-4	2.38-4.50	98094	20	508	35.5	16.1

- 6" and 8" squeeze tools, plus stops for metric pipe also available
- . Double-bar design offers two squeeze points for extra security.
- Two-position handle for work location options.
- · Fine thread for smooth squeeze from the operator and grease fittings at friction points.



BEAR HUG™ PE SQUEEZE TOOL

Catalog	Item			D:/ODD	We	ight
No.	Code	Capacity	Description	Pipe/SDR Stops	lbs	kg
PES8BT	04328	3 - 8 in nom	Base Tool for Bear Hug™ PE Squeeze Tool System REQUIRES Pump	98390, 98391 pair of each	175.0	79.5
PES8BTM	04715	90- 225 mm	Base Tool for Metric Bear Hug™ PE Squeeze Tool System - REQUIRES Pump	98392, 98393 pair of each	175.0	79.5

- Heavy-Duty 8" Hydraulic PE Squeeze Tool squeezes 3" 8" (90- 225 mm) diameter PE
- Exerts 83,400 lb. (371,000 N) of force onto the pipe, for ultimate squeeze confidence.
- Modular system allows choice of manual or air-over-hydraulic pump operation.



For details go to: www.reedmfgco.com



PE SQUEEZE TOOLS

Catalog		Item Capacity		pacity	Pipe/SDR Stops		Length		Weight	
	No.	0.1.	in-nom.	Actual Ø mm	# of Stops	Stop	in.	mm	lbs	kg
	PES1IPS/CTS	04290	1/2 - 1	0.63 - 1.32	4	94279	11	280	6.4	2.9
	PES6M	04313	3 - 6	75 - 160	10	98356 & 98320	28	711	81	36.8
	PES8M	04308	3 - 8	75 - 200	12	98319	28	711	130	59.1

- Stop flow in 1/2" up to 8" PE pipe.
- · Positive stops prevent damage caused by over-clamping.
- Sliding bar handles make work in tight places easier and increase leverage for tightening.
- Multiple size/SDR stops on one pair of stops allow using one REED tool for quick, convenient over-squeezing protection on a variety of sizes.







NOTE: REED strongly recommends use of a Static Grounding Device like PEGR7 with PE Squeeze Tools. Use a grounding device as a precaution against static build-up. Dissipate the charge and minimize the possibility of ignition.

UNIVERSAL DIES & R811 DIE HEAD





- REED uses its 120+ years of die-making experience to select the best materials, methods, and CNC production for its Universal Dies.
- Choose from REED's full line of dies made from Alloy and High Speed Steels in
- R811 die head uses REED and other popular universal dies.

700PD POWER DRIVE • Portable, electric, heavy-duty power drive that threads pipe and conduit up to 2" (50 mm) in diameter. • 1/2 horsepower, double insulated, turns at 28 RPM (no load) and uses a forward/ reverse switch. Uses REED R12+ **Segmental Dies** and Dropheads. 700PD with R12+ Drophead and Oil Bucket on R450+ Tripod

5301PD POWER DRIVE

Catalog No.	Item	Capa	Weight		
Gatalog No.	Code	in-nom.	Actual mm	lbs	kg
5301PD	05301	1/8 - 2	3 - 50	93.0	43.0
5301PDCOMP	05303	1/8 - 2	3 - 50	208.0	95.0

•5301PD Power Drive rotates the pipe for cutting, threading, or reaming.

REED offers both a basic 5301PD machine with foot pedal and the 5301PDCOMP complete kit.

· Models available in 38 RPM.



Uses REED Universal Dies



R12+ HSS SEGMENTAL DIES, **DROPHEADS & THREADER SETS**



R12+ DROPHEADS

Catalog No.	Item Code	Size
DHR12 1/2NPT	05626	1/2" NPT
DHR12 3/4NPT		
DHR12 1NPT	05630	1" NPT
DHR12 11/4NPT	05632	1 1/4" NPT
DHR12 11/2NPT	05634	1 1/2" NPT
DHR12 2NPT	05636	2" NPT
	No. DHR12 1/2NPT DHR12 3/4NPT DHR12 1NPT DHR12 11/4NPT DHR12 11/2NPT	No. Code DHR12 1/2NPT 05626 DHR12 3/4NPT 05628 DHR12 1NPT 05630 DHR12 11/4NPT 05632 DHR12 11/2NPT 05634

Fits REED Power Drives and interchangeable with RIDGID® dropheads: 00-R, 111-R, 12-R, 0-R, 11-R, 30A, and 31A.

R12+ SEGMENTAL DIES

Catalog No.	Item Code	Size	Std. Pkg.
R12DN 1/2	05606	1/2" NPT	4
R12DN 3/4	05608	3/4" NPT	4
R12DN 1	05610	1" NPT	4
R12DN 1 1/4	05612	1 1/4" NPT	4
R12DN 1 1/2	05614	1 1/2" NPT	4
R12DN 2	05616	2" NPT	4



R12+ THREADER SETS

Catalog No.	Item Code	Size
R12NPT-3	05712	1/2" to 1" NPT
R12NPT-4	05714	1/2" to 11/4" NPT
R12NPT-6	05720	1/2" to 2" NPT

CHAIN WRENCHES



Catalog	Item	Pipe Capacity		Length		Chain Tensile	
No. Code	in-nom.	Actual Ø mm	in	mm	Strength lbs		
WA14	02040	1/8 - 2	10 - 60	14	362	6,500	
WA18	02050	1/4 - 2 1/2	14 - 75	18	445	12,100	
WA24	02060	1/4 - 3	14 - 90	24	610	12,100	
WA36	02070	1/2 - 4 1/2	21 - 127	33	832	17,750	
WA48*	02080	1 - 6	33 - 168	44	1118	27,000	
WA60*	02090	1 1/2 - 8	48 - 225	46	1175	27,000	

*EXCLUSIVE SIZES

Reed chain wrenches offer by far the most sizes and are longer lasting because they have up to twice as many chain slots as any competitive tool, thus spreading the force across more chain slots.



PIPE WRENCHES

· High-tensile, ductile iron handle and hardened, alloy steel parts are designed to withstand the heaviest demands.

 Offset wrenches have similar construction and provide longer swing in hard-to-reach places

· Features solid steel pin in the heel jaw an Xtra Value!

MODELS FIT

1/8" - 6" Straight Handle

1/8" - 2" Offset Handle





Reed Manufacturing Erie, PA 16502 USA TEL: 800-666-3691 • 814-452-3691 www.reedmfgco.com